

\*

**1**

: ARDEX WA ( )  
 ARDEX WA Epoxykleber ( ) - 4523;  
 ARDEX WA Epoxyfuge ( ) - 4524;  
 ARDEX WA Epoxyfuge ( ) - 4525.  
 / ;  
 / ;  
**ARDEX Baustoff GmbH**  
 Hürmer Str. 40  
 A-3382 Loosdorf  
 : +43/2754/7021-0  
 : 43/2754/2490  
 E-Mail: office@ardex.at  
 http://www.ardex.at  
 : 698;  
 , - , E-Mail: olaf.matthey@ardex.de.  
 +49-(0)2302-664-0 ( );  
 +43-(0)1-4064343 ( )

\*

**2**

Xi -  
 N -  
 R 36/38 -  
 R 43 -  
 R 51/53 -

\*

**3**

CAS: 25068-38-6 NLP: 500-033-5	Xi,  N; R 36/38-43-51/53	< 700	20-50%
CAS: 9003-36-5	Xi,  N; R 36/38-43-51/53	F	2,5-10%
CAS: 68609-97-2 EINECS: 271-846-8	Xi; R 38-43		2,5-10%

\*

**4**

: ARDEX WA ( )

( .1)

5

6

\* 7

\* 8 ( ) 7.

\* 9 ( .3)

: ARDEX WA ( )

		( .2)
:		
.	/ /	:
.	:	> 200° C
.	:	
.	:	
.	20° C:	1500 / 3
.	/	:
.	:	
·pH	20° C:	8

**10**

.

.

.

**11**

.

.

.

.

.

.

**12**

.

-2 ( ):

.

\* **13** / ( )

.




.

08 04 10	,	08 04 09
----------	---	----------

( .4)

: ARDEX WA ( )
: : ( .3)

\* **14**

	<b>ADR/RID GGVS/GGVE ( / ):</b>
	
· <b>ADR/RID-GGVS/E-</b> : - · :	3082 UMWELTGEFÄRDENDER STOFF, FLÜSSIG, N.A.G. (BISPHENOL -A-EPICHLORHYDRINHARZE MG < 700, BISPHENOL F (EPICHLORHYDRIN) EP-HARZ)
<b>IMDG/GGVSee:</b>	
	
· <b>IMDG/GGVSee-</b> : 9 · : 9028 · : 3082 · : III · : · : Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorhydrin) epoxy resin (molecular weight < 700))	
<b>ICAO-TI IATA-DGR:</b>	
	
· <b>ICAO/IATA-</b> : 9 · : / . : 3082 · : 9 · : III · : Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorhydrin) epoxy resin (molecular weight < 700))	

\* **15**

	:
· · · Xi - · N -	: : : : < 700;
	( .5)

: ARDEX WA ( )

( .4)

F;

· R- :  
 36/38 -  
 43 -  
 51/53 -

· S- :  
 24 -  
 26 -  
 28 -  
 37/39 - /

: WGK 2 ( ):

\*

16

· R- :  
 36/38 -  
 38 -  
 43 -  
 51/53 -

· \*

\*





**1** / -

:  
 : **ARDEX WA ( )**  
 :  
 ARDEX WA Epoxykleber ( ) – 4523;  
 ARDEX WA Epoxyfuge ( ) – 4524;  
 ARDEX WA Epoxyfuge ( ) – 4525.  
 / : ;  
 / :  
 ARDEX Baustoff GmbH  
 Hürmer Str. 40  
 A-3382 Loosdorf  
 ..: +43/2754/7021-0  
 : 43/2754/2490  
 E-Mail: office@ardex.at  
 http://www.ardex.at  
 :  
 699;  
 , - , E-Mail: olaf.matthey@ardex.de.  
 :  
 +49-(0)2302-664-0 ( ) ;  
 +43-(0)1-4064343 ( )

**2**

:  
 C-  
 :  
 R 34 -  
 R 43 -  
 :  
 :

**3**

: :			
CAS: 112-24-3 EINECS: 203-950-6		 C,  Xn; R 21-34-43-52/53	2,5-10%
CAS: 111-40-0 EINECS: 203-865-4		 C,  Xn; R 21/22-34-43	2,5-10%

**4**

:  
 :  
 :  
 :  
 :  
 :  
 :

: 17.10.2007 .

: 17.10.2007 .

: ARDEX WA ( )

**5**

CO2, ,

**6**

13.

\* **7**

VbF-

\* **8**  
( )

7.

111-40-0	(2,5-10%)
4	/ 3

\* **9**

( .3)

: ARDEX WA ( )

.	:	:
.	:	135° C
.	:	335° C
.	:	
.	:	
.	20° C:	1,7 / 3
.	:	
.	pH	20° C: 13

**10**

.

.

.

\* **11**

.

.

.

.

.

.

**12**

.

- 2 ( ):

( ); ( )

\* **13** / ( )

.

.

08 04 10		08 04 09.
----------	--	-----------

.

.




: ARDEX WA ( )

\*


**14**

· **ADR/RID GGVS/GGVE ( / ):**




· : 8  
 · : 2735 AMINE, FLÜSSIG, ÄTZEND, N.A.G.(TRIETHYLENTETRAMIN)  
 · (LQ): LQ 7  
 · : E  
 · : 3.4.1.  
 (LQ 7) 5 /

· **IMDG/GGVSee:**



· **IMDG/GGVSee-** : 8  
 · **UN-** : 2735  
 · : 8  
 · : III  
 · **EMS-** : F-A,S-B  
 · :  
 · : AMINES, LIQUID, CORROSIVE, N.O.S.  
 (TRIETHYLENETETRAMINE, DIETHYLENETRIAMINE)

· **ICAO-TI und IATA-DGR:**



· **ICAO/IATA-** : 8  
 · **UN/ID-** : 2735  
 · : 8  
 · : III  
 · : AMINES, LIQUID, CORROSIVE, N.O.S.  
 (TRIETHYLENETETRAMINE, DIETHYLENETRIAMINE)

\*

**15**

· : GefStoffV. ( .5)

: ARDEX WA ( )

· C - . :  
· :  
· R- :  
34 - .  
43 - .  
· S- :  
20 - .  
26 - .  
36/37/39 - .  
43 - , CO2 / . !  
45 - ( .  
· :  
· : WGK 2 ( ):

\*

**16**

· R- :  
21 - .  
21/22 - .  
34 - .  
43 - .  
52/53- .  
· :  
· : - .  
· \*