




CREATES BEST CONNECTIONS

# ARDEX PREMIUM AF 2510

2-



( , ) -  
 ( :  
 , ) ,  
 ) ( :  
 , ) ( , 10 )  
 ;



ARDEX

ARDEX.

GEV



QM -

DIN EN ISO 9001

ARDEX GmbH  
 D- 58430 Witten · Postfach 61 20  
 Tel.: +49 (0) 23 02/664- 0  
 Fax: +49 (0) 23 02/664-240  
 kundendienst @ ardex.de  
 www.ardex.de

# ARDEX PREMIUM AF 2510



2-

2-  
- Amtico Stratica;  
- 4 ;  
(22 ); (10 )  
- 2- 3- ;  
- ( )  
- ( ) TKB-  
« ».  
DIN 18365 (« »)  
18356 (« »)  
4-6  
>+18° C. <75%  
ARDEX.  
ARDEX K 24  
ARDEX FA 20.  
ARDEX K 80.  
ARDEX 301 ARDEX A 46. 9% 8% -  
**ARDEX:**  
EMICODE EC 1 ARDEX ( +/- -2% ) 10  
PREMIUM AF 2510 ARDEX  
ARDEX PREMIUM AF 2410 24  
( )  
( ) .3 300-600  
/ ( )  
( )

**ARDEX:**



TKB A 2 : .350 / 2\*)



TKB B1 : .380 / 2\*)



2 : .600 / 2\*)



TKB 3 : .850 / 2\*)

(10 ),



TKB B10 : .1,000 / 2\*)



TKB B12 : .1,250 / 2\*)

2- : .350 – 1250 / 2

: +15 °C

(rF): 75%

: .45

: .70

: ( EN 12529)

**GefStoffV:**

: Xn «

4,4'-

**ADR, GGVS, VbF:**

EMICODE: EC 1 R –

GISCODE: RU 1 –

: 2-  
6

. 12

\*) Pajarito –